This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Title: "PHOTOELECTRIC ENCODER"
First Named Inventor: Toshitaka Shimomura
Customer No. 40854; Docket No. NGB-15311
Page 1 of 13

Fig. 1







7

Title: "PHOTOELECTRIC ENCODER"
First Named Inventor: Toshitaka Shimomura
Customer No. 40854; Docket No. NGB-15311
Page 3 of 13

Fig. 3





4.5 4.5 8.0 4.5 8.0 5.0 10.0 5.0 10.0 5.0 10.0 6.0 6.0 6.0 12.0 6.0 16.0 6.0 21.0 6.0 24.0 6.0 30.0 6.0 36.0


A ap

ARE FORFE (mm)

ARE FORFE (mm)


(mm) (mm)


Outer diameter




Title: "PHOTOELECTRIC ENCODER"
First Named Inventor: Toshitaka Shimomura
Customer No. 40854; Docket No. NGB-15311
Page 6 of 13

Fig. 6







Title: "PHOTOELECTRIC ENCODER"
First Named Inventor: Toshitaka Shimomura
Customer No. 40854; Docket No. NGB-15311
Page 8 of 13




Fig. 10




Fig. 11




Fig. 12







Fig. 13







Title: "PHOTOELECTRIC ENCODER"
First Named Inventor: Toshitaka Shimomura
Customer No. 40854; Docket No. NGB-15311
Page 12 of 13

Fig. 16





Fig. 17



Title: "PHOTOELECTRIC ENCODER"
First Named Inventor: Toshitaka Shimomura
Customer No. 40854; Docket No. NGB-15311
Page 13 of 13




Fig. 19

